

Apache ReverseProxy

configuration serveur “Apache” pour faire un “ReverseProxy”

Journées Mathrice Angers 17-19 mars 2009

Gérard Lasseur

Unité de Mathématiques Pures et Appliquées
Unité Mixte de Recherche (UMR 5669) du Centre National de la Recherche Scientifique
École Normale Supérieure de Lyon
46 Allée d'Italie
69364 LYON cedex 07

Serveur en DMZ

Serveur en DMZ

Exemple 1 (simple)

```
<VirtualHost 140.77.166.50:80>
  ServerName www.psmn.ens-lyon.fr
  ServerAdmin root@psmn.ens-lyon.fr

  RewriteEngine On

  ### pour "debugger"
  #RewriteLog /var/apache/rewrite
  #RewriteLogLevel 1...5

  RewriteCond %{REMOTE_ADDR} 140\.77\.\.\.*
  RewriteRule ^/(.*) http://INTERNAL-WEB-SERVER/$1 [R,L]

  RewriteCond %{REMOTE_ADDR} !140\.77\.\.\.*
  RewriteCond %{REQUEST_URI} ^/.*MEMBRES.*
  RewriteRule ^/(.*)MEMBRES(.*) https://www.psmn.ens-lyon.fr/$1MEMBRES$2 [R,L]

  RewriteRule ^/(.*) http://INTERNAL-WEB-SERVER/$1 [P,L]
  ### OU
  ProxyPass / http://INTERNAL-WEB-SERVER/
  ProxyPassReverse / http://INTERNAL-WEB-SERVER/
```

Serveur en DMZ

Exemple 1 (simple)

```
<VirtualHost 140.77.166.50:443>
  ServerName www.psmn.ens-lyon.fr
  ServerAdmin root@psmn.ens-lyon.fr

  RewriteEngine On

  RewriteRule /^(.*) https://INTERNAL-WEB-SERVER/$1 [P,L]
  ### OU
  ProxyPass / https://INTERNAL-WEB-SERVER/
  ProxyPassReverse / https://INTERNAL-WEB-SERVER/

  ##### OU https <--> http
  ProxyPass / http://INTERNAL-WEB-SERVER/
  ProxyPassReverse / http://INTERNAL-WEB-SERVER/
```

Serveur en DMZ

Exemple 2 ()

```
<VirtualHost 140.77.166.49:80>
  ServerName www.umpa.ens-lyon.fr
  ServerAdmin root@umpa.ens-lyon.fr

  RewriteEngine On

  RewriteCond %{REQUEST_URI} ^/webmail.*
  RewriteRule ^/webmail(.*) https://www.umpa.ens-lyon.fr/webmail$1 [R,L]

  RewriteCond %{REQUEST_URI} ^/INTRANET.*
  RewriteRule ^/INTRANET(.*) https://www.umpa.ens-lyon.fr/INTRANET$1 [R,L]

  RewriteCond %{REQUEST_URI} ^/tomcat-app.*
  RewriteRule ^/tomcat-app(.*) https://www.umpa.ens-lyon.fr/tomcat-app$1 [R,L]

  RewriteCond %{REQUEST_URI} ^/~.*
  RewriteCond %{REQUEST_URI} !~/~.*/*$
  RewriteRule /~(.+[/])$ http://www.umpa.ens-lyon.fr/~$1/ [R,L]

  RewriteRule ^/(.*) http://INTERNAL-WEB-SERVER/$1 [P,L]
  ### OU
  ProxyPass / http://INTERNAL-WEB-SERVER/
  ProxyPassReverse / http://INTERNAL-WEB-SERVER/
```

Serveur en DMZ

Exemple 2 ()

```
<VirtualHost 140.77.166.49:443>
  ServerName www.umpa.ens-lyon.fr
  ServerAdmin root@umpa.ens-lyon.fr

  RewriteEngine On

  RewriteCond %{REQUEST_URI} ^/webmail$
  RewriteRule ^/webmail$ https://www.umpa.ens-lyon.fr/webmail/ [R,L]

  RewriteRule ^/webmail/(.*) https://WEBMAIL-SERVER/webmail/$1 [P,L]
  ### OU
  ProxyPass /webmail/ https://WEBMAIL-SERVER/webmail/
  ProxyPassReverse /webmail/ https://WEBMAIL-SERVER/webmail/

  RewriteCond %{REQUEST_URI} ^/INTRANET$
  RewriteRule ^/INTRANET$ https://www.umpa.ens-lyon.fr/INTRANET/ [R,L]

  RewriteCond %{REQUEST_URI} ^/tomcat-app$
  RewriteRule ^/tomcat-app$ https://www.umpa.ens-lyon.fr/tomcat-app/ [R,L]

  RewriteCond %{REQUEST_URI} ^/~.*
  RewriteCond %{REQUEST_URI} !^/~.*/*$
  RewriteRule /-(.[~/])$ https://www.umpa.ens-lyon.fr/~$1/ [R,L]

  RewriteRule ^/(.*) https://INTERNAL-WEB-SERVER/$1 [P,L]
```

Serveur en INTERNE

Serveur en INTERNE

```
<VirtualHost _default_:80>
```

```
    RewriteEngine On
```

```
    RewriteCond %{REQUEST_URI} ^/webmail.*
```

```
    RewriteRule ^/webmail(.*) https://THIS-WEB-SERVER/webmail$1 [R,L]
```

```
    RewriteCond %{REMOTE_ADDR} PROXY-WEB
```

```
    RewriteRule ^/INTRANET(.*) https://www.umpa.ens-lyon.fr/INTRANET$1 [R,L]
```

```
    RewriteCond %{REMOTE_ADDR} !PROXY-WEB
```

```
    RewriteRule ^/INTRANET(.*) https://THIS-WEB-SERVER/INTRANET$1 [R,L]
```

```
    RewriteCond %{REMOTE_ADDR} PROXY-WEB
```

```
    RewriteRule ^/tomcat-app(.*) https://www.umpa.ens-lyon.fr/tomcat-app$1 [R,L]
```

```
    RewriteCond %{REMOTE_ADDR} !PROXY-WEB
```

```
    RewriteRule ^/tomcat-app(.*) https://THIS-WEB-SERVER/tomcat-app$1 [R,L]
```

Serveur en INTERNE

```
<VirtualHost _default_:443>
```

```
    RewriteEngine On
```

```
    RewriteCond %{REQUEST_URI} ^/webmail$
```

```
    RewriteRule ^/webmail$ https://THIS-WEB-SERVER/webmail/ [R,L]
```

```
    RewriteCond %{REQUEST_URI} ^/webmail.*
```

```
    RewriteRule ^/webmail(.*) https://WEBMAIL-SERVER/webmail$1 [P,L]
```

```
    ### OU
```

```
    ProxyPass /webmail/ https://WEBMAIL-SERVER/webmail/
```

```
    ProxyPassReverse /webmail/ https://WEBMAIL-SERVER/webmail/
```

```
    RewriteCond %{REMOTE_ADDR} !PROXY-WEB
```

```
    RewriteRule ^/tomcat-app(.*) https://TOMCAT-SERVER:port-ssl-local/tomcat-app$1 [P,L]
```

```
    RewriteCond %{REMOTE_ADDR} PROXY-WEB
```

```
    RewriteRule ^/tomcat-app(.*) https://TOMCAT-SERVER:port-ssl-proxy/tomcat-app$1 [P,L]
```

C'est fini !

C'est fini !

Questions bienvenues ...